

BARAKA TRANS

GL-4

SAE 90

BASES MINÉRALE

DESCRIPTION

BARAKA TRANS SAE 90 is an SAE 90 gear and transmission lubricant designed to meet API GL-4 quality requirements. It is formulated from highly refined mineral base oils and state-of-the-art additive technology to provide superior protection and performance under severe operating conditions.

APPLICATIONS

Recommended for heavily loaded transmissions, including:

- **Rear axles**
- **Hypoid gear drives**
- **Differentials and other gear systems**

SPECIFICATIONS

- API **GL-4**

CLIENT BENEFITS

- Excellent extreme-pressure (EP) performance
- Superior wear protection under severe service conditions
- Extends transmission service life
- Protects against rust and oxidation
- Maintains gear protection under shock load conditions
- Compatible with commonly used seals and gaskets

BARAKA TRANS

GL-4

SAE 90

BASES MINÉRALE

TYPICAL CHARACTERISTIC

These values are typical of current production. However, Pétro Baraka reserves the right to modify certain characteristics in accordance with the product's conformity to its specifications.

Test	Unit	Results
GRADE		90
Density at 15 °C	-	0,894
Viscosity at 100 °C	mm ² /s	17.5
Viscosity at 40 °C	mm ² /s	150
Viscosity Index	-	96
Flash Point	C°	250
Pour Point	C°	-15

STORAGE CONDITIONS

Do not store products at temperatures above 60°C. It must be stored away from direct sunlight, intense cold and external temperature fluctuations. If possible, the packaging should never be exposed to weather. Otherwise, the drums shall be placed horizontally, so as to avoid contamination by water and to preserve the product label.

**Pétro
Baraka** 

   **PétroBaraka**
 www.petrobaraka.com
contact@petrobaraka.com



رمز الثقة
SYMBOLE DE CONFIANCE
منتج وموزع من طرف شركة ذ م م بيترو بركة
Oued zmor, la route nationale n46 Lot n01, Biskra
+213 (0) 33 55 27 11, 12