

**Péto
Baraka**
LUBRIFIANT



HUILE DE COUPE SOLUBLE

**MITALIUM
CT-330**



TOUT TRAVAUX FINS

SPECIFICATIONS

ISO 6743/7



”حكاية ثقة..”

MITALIUM CT-330

CT-330
HUILE DE COUPE
SOLUBLE



DESCRIPTION

MITALIUM CT-330 is a metalworking fluid suitable for use in individual machines as well as centralized systems. It contains a high proportion of highly refined mineral oil and is suitable for machining both ferrous and non-ferrous metals. It provides excellent corrosion protection and readily releases tramp oils. Its low circulation energy requirement ensures efficient flow in machining circuits. It may also be used in circulation-based heat transfer systems.

APPLICATIONS

MITALIUM CT-330 is specifically designed for conventional machining of copper alloys and free-cutting brasses.


- It delivers excellent performance in machining processes involving low-carbon steels.
- Recommended concentration: 3-6%
- Provides temporary protection for machined or unmachined mechanical parts where subsequent removal of the protective film is required

SPECIFICATIONS

- ISO 6743/7 

CLIENT BENEFITS

- Easy to use: simply add MITALIUM CT-330 to good-quality water
- Good resistance to bacterial growth
- Ensures relatively dry chips after machining
- Excellent long-term stability
- Effective corrosion protection for machined parts and machine tools




MITALIUM CT-330

CT-330
HUILE DE COUPE
SOLUBLE



TYPICAL CHARACTERISTIC

These values are typical of current production. However, Pétro Baraka reserves the right to modify certain characteristics in accordance with the product's conformity to its specifications.

Parameters	Method	Unit	MATALIUM	
Density at 15°C	ASTM D 4052	Kg/m ³	Concentrate	3%
				890
Viscosity at 40 °C	ASTM D 445	mm ² /s	58	
Apparence	 Visual	-	Clair	
pH	NF T 60 193	-		8.8

STORAGE CONDITIONS

Do not store products at temperatures above 60°C. It must be stored away from direct sunlight, intense cold and external temperature fluctuations. If possible, the packaging should never be exposed to weather. Otherwise, the drums shall be placed horizontally, so as to avoid contamination by water and to preserve the product label.

**Pétro
Baraka** 

   **PétroBaraka**
 www.petrobaraka.com
contact@petrobaraka.com



رمز الثقة
SYMBOLE DE CONFIANCE
منتج وموزع من طرف شركة ذ م م بيترو بركة
Oued zmor, la route nationale n46 Lot n01, Biskra
+213 (0) 33 55 27 11, 12